

ADCOLLAB PSU-300



POWER



20V



18V



16V



14V

BATTERY
TEMPERATURE

CURRENT



1.00A



0.8A



0.6A



0.4A

POWER
VOLT

100%

75%

50%

25%

CHARGE
CURRENT




CHARGE
VOLTAGE



BATTERY
CHARGE















DENON



EJECT



MD CART RECORDER

DN-950R



SELECT PLAY MODE

REC

DISP

END MON

PLAY / PAUSE

COMP

SINGLE



OPEN

CLEAR



MODE

SEARCH

STOP / CLR



CLR







YAMAHA
NS-10M STUDIO











- OPERATIONAL
- FAULT
- STOP/START



000 M 11

ORIC
RETRAK







STX-215

AVC-1-2

AVC-1-2

AVC-1-2

CAUTION: Do not touch the terminals when the power is on.



FREQUENCY IN

FREQ. MULTIPLIER

100 1000

AMPLITUDE

ON

RC GENERATOR









RADIO*
STUDENT[®]

INTERNATIONAL LTD.

U.S.A.



FINA

















TASCAM UA-41

4-CHANNEL UNIVERSAL INTERFACE

INPUT

OUTPUT

- 1
- 2
- 3
- 4
- 1
- 2
- 3

POWER

POWER

MASTER

OUTPUT

INPUT

PHONES LEVEL

MONITOR LEVEL

HEADPHONE LEVEL

TASCAM
4-Channel
UA-41





